Author Index

Aguilar, M. I., see Hearn, M. T. W. 47
Antoni, G., see Perin, F. 365
Arnoud, P., see Hanahan, A. E. 197
Ashman, K.
——, Bosserhoff, A. and Frank, R.
High-speed preparative reversed-phase high-performance liquid chromatography of synthetic oligonucleotides 137
Belovsky, O., see Heubner, A. 419
Berndt, H., see Krüger, G. 223
Bertolini, J., see Hearn, M. T. W. 371
Bischoff, R.
—— and Regnier, F. E.
Synthesis and immobilization of a novel acridine derivative on microparticulate silica. A study of its interactions with single-stranded oligonucleotides by high-performance liquid chromatography 13
Bolzacchini, E.
——, Di Gregorio, G., Nali, M., Rindone, B., Tollari, S. Falagiani, P., Riva, G. and Crespi, G.
Combined size-exclusion–ion-exchange high-performance liquid chromatographic analysis of *Parietaria* pollen extracts with the aid of isoelectrofocusing and a radio-allergo-sorbent test 299
——, Fermo, I., Rovida, E., Colombo, R. and Samaja, M.
Separation of the valence intermediates of human haemoglobin by high-performance chromatofocusing 233
Bosserhoff, A., see Ashman, K. 137
Brandt, D. W.
—— and Wittliff, J. L.
Assessment of estrogen receptor–monoclonal antibody interaction by high-performance liquid chromatography 287
Chaga, G., see Eriksson, K. O. 239
Chen, A. J. C., see Duncan, K. J. 3
Cohen, A. S.
—— and Karger, B. L.
High-performance sodium dodecyl sulfate polyacrylamide capillary electrophoresis of peptides and proteins 409
Colombo, R., see Bolzacchini, E. 233
Cooper, E. H., see Cox, A. M. 213
Cox, A. M.
——, Turner, R. and Cooper, E. H.
Separation and characterisation of glycoproteins from normal, pregnancy, and acute inflammatory sera 213
Crespi, G. see Bolzacchini, E. 299
D'Andrea, M., see Rybacek, L. 355
Di Gregorio, G., see Bolzacchini, E. 299
Duncan, K. J.
——, Chen, A. J. C. and Siebert C. J.
Performance evaluation of non-porous *versus* porous ion-exchange packings in the separation of proteins by high-performance liquid chromatography 3
Eriksson, K. O.
——, Kourteva, J., Yao, K., Liao, J.-L., Kilár, F., Hjertén, S. and Chaga, G.
Application of high-performance chromatographic and electrophoretic methods to the purification and charaterization of glucose oxidase and catalyse from *Penicicillium chrysogenum* 239
Ernst-Cabrera, K.
—— and Wilchek, M.
Coupling of ligands to primary hydroxyl-containing silica for high-performance affinity chromatography. Optimization of conditions 187
Falagiani, P., see Bolzacchini, E. 299
Fermi, I., see Bolzacchini, E. 233
Fey, E., see Hock, D. 347
Forssmann, W.-G., see Hock, D. 347
Frank, R., see Ashman, K. 137
Geahel, I., see Krishnan, S. 339
Giesche, H., see Janzen, R. 81, 91
——, see Jilge, G. 71
Grill, H.-J., see Heubner, A. 419
Grötzinger, J., see Krüger, G. 223
Grün, J. R.
—— and Reinhardt, R.
Purification of ribosonal 30S proteins from the archaebacterium *Sulfolobus acidocaldarius* by ion-exchange and discontinuous reversed-phase high-performance liquid chromatography 327
Guthridge, M., see Hearn, M. T. W. 371
Habermann, R., see Josić, D. 39
Halonen, P., see Waris, M. 321
Hanahan, A. E.
——, Miribel, L. and Arnaud, P.
Fractionation of plasma proteins by pseudo-ligand affinity chromatography. Elution from immobilized Brown Fractogel TSK-AF 197

Hannappel, E.
—— and Van Kampen, M.
Determination of thymosin β_4 in human blood cells and serum 297
Hearn, M. T. W.
—— and Aguilar, M. I.
High-performance liquid chromatography of amino acids, peptides and proteins. LXXIII. Investigations on the relationships between molecular structure, retention and band-broadening properties of polypeptides separated by reversed-phase high-performance liquid chromatography 47
——, Guthridge, M. and Bertolini, J.
High-performance liquid chromatography of amino acids, peptides and proteins. LXXIV. Separation of heparin-binding growth factors by reversed-phase high-performance liquid chromatography 371
——, see Janzen, R. 81, 91
——, see Jilge, G. 71
——, see Johnston, R. C. 389
——, see Stanton, P. G. 379
Heilmeyer, Jr., L. M. G., see Meyer, H. E. 113
Heubner, A.
——, Belovsky, O., Müller, W., Grill, H.-J., Manz, B., Juchem, M. and Pollow, K.
Application of liquid–liquid partition chromatography in the simultaneous purification of sex-hormone-binding globulin and corticosteroid-binding globulin 419
Hjertén, S., see Eriksson, K. O. 239
Hock, D.
——, Schriek, U., Fey, E., Forssmann, W.-G. and Mutt, V.
Isolation of bovine cardiodilatin by fast protein liquid chromatography and reversed-phase high-performance liquid chromatography 347
Hodges, R. S., see Mant, C. T. 99
Hoffmann-Posorske, E., see Meyer, H. E. 113
Hofmann, W., see Josić, D. 39
Hyder, S. M.
——, Kohrs, F. P. and Wittliff, J. L.
Progestin receptors from tissues either exhibiting or lacking estrogen response mechanisms. Comparison conventional and high-performance liquid chromatography methodology 269
——, Sato, N. and Wittliff, J. L.
Characterization of estrogen receptors and associated protein kinase activity by high-performance hydrophobic interaction chromatography 251
Janzen, R.,
——, Unger, K. K., Giesche, H., Kinkel, J. N. and Hearn, M. T. W.
Evaluation of advanced silica packings for the separation of biopolymers by high-performance liquid chromatography. IV. Mobile phase and surface-mediated effects on recovery of native proteins in gradient elution on non-porous monodisperse 1.5-μm reversed-phase silicas 81
——, Unger, K. K., Giesche, H., Kinkel, J. N. and Hearn, M. T. W.
Evaluation of advanced silica packings for the separation of biopolymers by high-performance liquid chromatography. V. Performance of non-porous monodisperse 1.5-μm bonded silicas in the separation of proteins by hydrophobic-interaction chromatography 91
——, see Jilge, G. 71
Jilge, G.
——, Janzen, R., Giesche, H., Unger, K. K., Kinkel, J. N. and Hearn, M. T. W.
Evaluation of advanced silica packings for the separation of biopolymers by high-performance liquid chromatography. III. Retention and selectivity of proteins and peptides in gradient elution on non-porous monodisperse 1.5-μm reversed-phase silicas 71
Johnston, R. C.
——, Stanton, P. G., Robertson, D. M. and Hearn, M. T. W.
High-performance liquid chromatography of amino acids, peptides and proteins. LXXV. Separation of isoforms of the glycoprotein hormones from hunan pituitary extracts 389
Josić, D.
——, Hofmann, W., Habermann, R. and Reutter, W.
High-performance liquid affinity chromatography of liver plasma membrane proteins 39
Juchem, M., see Heubner, A. 419
Jungbauer, A.
——, Unterluggauer, F., Steindl, F., Rüker, F. and Katinger, H.
Combination of Zetaprep mass ion-exchange media and high-performance cation-exchange chromatography for the purification of high-purity monoclonal antibodies 313
Kampen, M. van, see Hannappel, E. 297
Karger, B. L., see Cohen, A. S. 409
Kastner, M.
—— and Schulz, T.
Ion-exchange fast protein liquid chromatography; optimization of the purification of cytochrome P-450 from marmoset monkeys 153

Katinger, H., see Jungbauer, A. 313
Kilár, F., see Eriksson, K. O. 239
Kinkel, J. N., see Janzen, R. 81, 91
——, see Jilge, G. 71
Kohrs, F. P., see Hyder, S. M. 269
Korte, H., see Meyer, H. E. 113
Kourteva, J., see Eriksson, K. O. 239
Krishnan, S.
——, Vijayalakshmi, M. A. and Geahel, I.
Semi-preparative-scale isolation of carboxypeptidase isoenzymes from *Aspergillus niger* by a single metal chetale affinity chromatogrpahic step. I. Preliminary analysis of quantitative aspects 339
Krüger, G.
——, Grötzinger, J. and Berndt, H.
Enantiomeric resolution of amino acid derivatives on chiral stationary phases by high-performance liquid chromatography 223
Leadbeater, L.
—— and Ward, F. B.
Analysis of tryptic digests of bovine β-casein by reversed-phase high-performance liquid chromatography 435
Liao, J.-L., see Eriksson, K. O. 239
Linder, D., see Urenjak, J. 123
Lumper, L., see Urenjak, J. 123
Lundahl, P., see Mascher, E. 175
Maasch, H. J., see Wahl, R. 307
Mant, C. T.
——, Parker, J. M. R. and Hodges, R. S.
Size-excluison high-performance liquid chromatography of peptides. Requirement for peptide standards to monitor column performance and non-ideal behaviour 99
Manz, B., see Heubner, A. 419
Mascher, E.
—— and Lundahl, P.
High-performance agarose gel chromatography in octyl glucoside of integral membrane proteins from human red cells, with special reference to the glucose transporter 175
Meineke, D., see Wahl, R. 307
Meyer, H. E.
——, Swiderek, K., Hoffmann-Posorske, E., Korte, H. and Heilmeyer, Jr., L. M. G.
Quantitative determination of phosphoserine by high-performance liquid chromatography as the phenylthiocarbamyl-S-ethylcysteine. Application to picomolar amounts of peptides and proteins 113
Miribel, L., see Hanahan, A. E. 197
Müller, W., see Heubner, A. 419
Mutt, V., see Hock, D. 347
Nali, M., see Bolzacchini, E. 299
Nustede, R., see Wagner, H. A. 405
Ohlson, S.
—— and Wieslander, J.
High-performance liquid affinity chromatographic separation of mouse monoclonal antibodies with protein A silica 207
Parker, J. M. R., see Mant, C. T. 99
Perin, F.
——, Presentini, R. and Antoni, G.
Single-step high-yield purification of a synthetic peptide fragment of human interleukin 1 by preparative high-performance liquid chromatography 365
Pollow, K., see Heubner, A. 419
Presentini, R., see Perin, F. 365
Regnier, F. E., see Bischoff, R. 13
——, see Rounds, M. A. 25
Reinhardt, R., see Grün, J.R. 327
Reutter, W., see Josić, D. 39
Rindone, B., see Bolzacchini, E. 299
Riva, G., see Bolzacchini, E. 299
Robertson, D. M., see Johnston, R. C. 389
Rounds, M. A.
——, Rounds, W. D. and Regnier, F. E.
Poly(styrene–divinylbenzene)-based strong anion-exchange packing material for high-performance liquid chromatography of proteins 25
Rounds, W. D., see Rounds, M. A. 25
Rovida, E., see Bolzacchini, E. 233
Rüker, F., see Jungbauer, A. 313
Rybacek, L.
——, D'Andrea, M. and Tarnowski, S. J.
Rapid dual-column chromatographic assay for recombinant leukocyte interferon α-2 355
Samaja, M., see Bolzacchini, E. 233
Sato, N., see Hyder, S. M. 251
Schmidt, G., see Seliger, H. 141
Schriek, U., see Hock, D. 347
Schulz, T., see Kastner, M. 153
Seidel, D., see Wagner, H. A. 405
Selinger, H.
—— and Schmidt, G.
Polymer support synthesis. XII. Derivatization with the 4-decyloxytrityl group as an aid in the affinity chromatography of oligo- and polynucleotides 141
Siebert, C. J., see Duncan, K. J. 3
Slopsema, K., see Welling, G. W. 165
Southan, C.
Use of Sep-Pak cartridges for on-line preparative high-performance liquid chromatography 399

Stanton, P. G.,
—— and Hearn, M. T. W.
High-performance liquid chromatography of amino acids, peptides and proteins. LXXV. Isolation of iso-hormones of bovine thyrotropin and lutropin 379
——, see Johnston, R. C. 389
Steindl, F., see Jungbauer, A. 313
Swiderek, K., see Meyer, H. E. 113
Tarnowski, S. J., see Rybacek, L. 355
Tollari, S., see Bolzacchini, E. 299
Turner, R., see Cox, A. M. 213
Unger, K. K., see Janzen, R. 81, 91
——, see Jilge, G. 71
Unterluggauer, F., see Jungbauer, A. 313
Urenjak, J.
——, Linder, D. and Lumper, L.
Structural comparison between the trout and mammalian hydrophilic domain of NADPH–cytochrome P-450 reductase 123
Van Kampen, M., see Hannappel, E. 279
Vijayalakshmi, M. A., see Krishnan, S. 339
Wagner, H. A.
——, Nustede, R. and Seidel, D.
Isolation of apolipoprotein-B-48 from chyclomicrons by high-performance liquid chromatography 405
Wahl, R.
——, Meineke, D. and Maasch, H. J.
Molecular weight determination of allergen extracts and isolation of allergenic molecules by high-performance liquid chromatography 307
Ward, F. B., see Leadbeater, L. 435
Waris, M.
—— and Halonen, P.
Purification of adenovirus hexon protein by high-performance liquid chromatography 321
Welling, G. W.
——, Slopsema, K. and Welling-Wester, S.
Purification strategies for Sendai virus membrane proteins 165
Welling-Wester, S., see Welling, G. W. 165
Wieslander, J., see Ohlson, S. 207
Wilchek, M., see Ernst-Cabrera, K. 187
Wittliff, J. L., see Brandt, D. W. 287
——, see Hyder, S. M. 251, 269
Yao, K., see Eriksson, K. O. 239